

# Fertmark Declared Values

## Ballance Awarua

Date: 1/04/2026

### Serpentine Super

			Analysis %	Variance %
<b>P total</b>	<b>6.80</b>	AVG - Average percent		
<b>P citric</b>	<b>5.00</b>	AVG - Average percent		
<b>P water</b>	<b>3.00</b>	PCNTMAX - Max Percent		
<b>S total</b>	<b>8.50</b>	AVG - Average percent		
<b>Mg total</b>	<b>5.00</b>	AVG - Average percent		
<b>Ca</b>	<b>16.50</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
18-May-2004		DVs adjusted by TS
1-Jul-2008		DVs altered by TS
28-Feb-2022	Peter Wood	P values lifted by Carmen Viljoen
25-Jan-2023	Peter Wood	Changed by email from Carmen V dated 23 Jan 23
25-Jan-2023	Peter Wood	Changed by email from Carmen V dated 24 Jan 23

### Super

			Analysis %	Variance %
<b>P total</b>	<b>9.00</b>	AVG - Average percent		
<b>P citric</b>	<b>7.80</b>	AVG - Average percent		
<b>P water</b>	<b>7.40</b>	AVG - Average percent		
<b>S total</b>	<b>11.00</b>	AVG - Average percent		
<b>Ca</b>	<b>22.00</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
18-May-2004		DVs adjusted by TS
9-Jan-2006		Sulphur registration of Superten lowered by TS
1-Jul-2008		DVs altered by TS
28-Feb-2022	Peter Wood	P values lifted by Carmen Viljoen
25-Jan-2023	Peter Wood	Changed by email from Carmen V 23 Jan 23
25-Jan-2023	Peter Wood	Changed by email from Carmen V dated 25 Jan 23

# Fertmark Declared Values

## Ballance GROUP

Date: 1/04/2026

### Cropzeal Boron Boost

			Analysis %	Variance %
<b>N total</b>	<b>16.50</b>	AVG - Average percent		
<b>P total</b>	<b>19.50</b>	AVG - Average percent		
<b>P citric</b>	<b>19.10</b>	AVG - Average percent		
<b>P water</b>	<b>17.40</b>	AVG - Average percent		
<b>B</b>	<b>0.70</b>	AVG - Average percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
20-Mar-2023	Peter Wood	New Fertmark registration as per email from Carmen Viljoen 16 Mar 2023

### DAP

			Analysis %	Variance %
<b>N total</b>	<b>17.60</b>	AVG - Average percent		
<b>P total</b>	<b>20.00</b>	AVG - Average percent		
<b>P citric</b>	<b>19.90</b>	AVG - Average percent		
<b>P water</b>	<b>18.20</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
1-Sep-2010		DAP N and TP lowered by TS

### Double Super

			Analysis %	Variance %
<b>P total</b>	<b>15.60</b>	AVG - Average percent		
<b>P water</b>	<b>12.20</b>	AVG - Average percent		
<b>P citric</b>	<b>13.30</b>	AVG - Average percent		
<b>S</b>	<b>5.00</b>	AVG - Average percent		
<b>Ca</b>	<b>12.00</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>

### Granular Calmag

			Analysis %	Variance %
<b>Mg</b>	<b>40.00</b>	AVG - Average percent		
<b>Psa 2</b>	<b>98.00</b>	AVG - Average percent		
<b>Psa 0.5</b>	<b>1.00</b>	AVG - Average percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
1-Jul-2008		CalMag Mg DV lowered by TS
1-Apr-2011		Granular CalMag added by TS
28-Feb-2014	Justin Moss	lowered Declared Valued MG from 42% to 38% as per email from PW
2-Jul-2019	Peter Wood	as per email from Angela Newton updated PSD.
30-Oct-2024	Craig Allen	Mg value changed to 40 as per email from Kerryn

# Fertmark Declared Values

## Ballance GROUP

Date: 1/04/2026

### Muriate of Potash

			Analysis %	Variance %
<b>K total</b>	<b>50.00</b>	AVG - Average percent		
<b>K water</b>	<b>50.00</b>	AVG - Average percent		

Date                      Changed By                      Comment

### Nrich Liquid Urea 19N

			Analysis %	Variance %
<b>N total</b>	<b>19.00</b>	AVG - Average percent		
<b>Biuret</b>	<b>1.25</b>	PCNTMAX - Max Percent		

Date                      Changed By                      Comment

### Nrich SOA

			Analysis %	Variance %
<b>N total</b>	<b>21.00</b>	AVG - Average percent		
<b>S total</b>	<b>23.00</b>	AVG - Average percent		

Date                      Changed By                      Comment

28-Feb-2014      Justin Moss                      lowered Declared Valued for 19.5%N and 22.5% S as per email from PW

2-Oct-2014              Justin Moss                      changed details as per email from PW: N = 19.5% (was 20.5%) P = 1 % K = 0 % S = 22 % (was 23%)

28-Sep-2017      Peter Wood                      TP declaration deleted by AN

23-Nov-2020      Peter Wood                      Changed by Carmen Viljoen (N and S increased)

26-Mar-2025      Ben Schnackenberg              Changed N to 21 as per email from Kerry and removed K from declared value

### Phased N

			Analysis %	Variance %
<b>N total</b>	<b>25.30</b>	AVG - Average percent		
<b>S total</b>	<b>28.50</b>	AVG - Average percent		
<b>Ca</b>	<b>5.70</b>	AVG - Average percent		

Date                      Changed By                      Comment

28-Sep-2017      Peter Wood                      NBPT Declaration added by AN 28 Sept 2017

### Pure RPR

			Analysis %	Variance %
<b>P total</b>	<b>11.50</b>	AVG - Average percent		
<b>P citric</b>	<b>4.00</b>	AVG - Average percent		
<b>P formic</b>	<b>4.50</b>	AVG - Average percent		
<b>Psa 1</b>	<b>93.10</b>	AVG - Average percent		
<b>Psa 0.5</b>	<b>78.60</b>	AVG - Average percent		
<b>Ca</b>	<b>28.00</b>	AVG - Average percent		

# Fertmark Declared Values

## Ballance GROUP

Date: 1/04/2026

<b>Mg total</b>	<b>0.20</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
3-Oct-2018	Fabio Costa	New product
20-Apr-2021	Peter Wood	Name and DVs changed by CV on 16 April 2021
25-Oct-2024	Craig Allen	Changed P to 11.5, P Cit to 4.0 P (formic) to 4.5, Mg to 0.2 and Ca to 28.0 as per email from Kerry

### **Sulphate of Potash**

			<b>Analysis %</b>	<b>Variance %</b>
<b>K total</b>	<b>42.00</b>	AVG - Average percent		
<b>S total</b>	<b>17.00</b>	AVG - Average percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
3-May-2023	Peter Wood	Initial; registration. See email from Carmen Viljoen 2 May 2023

### **Sulphurgain 90S**

			<b>Analysis %</b>	<b>Variance %</b>
<b>Total S</b>	<b>90.00</b>	AVG - Average percent		
<b>Psa 1</b>	<b>95.00</b>	AVG - Average percent		
<b>Psa 0.5</b>	<b>65.00</b>	AVG - Average percent		
<b>Psa 0.25</b>	<b>45.00</b>	AVG - Average percent		
<b>Psa 0.15</b>	<b>20.00</b>	AVG - Average percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
21-Oct-2011		TS lowered from 93% to 89% by JL
25-Oct-2024	Craig Allen	Total S changed to 90 as per email from Kerry

### **Surephos**

			<b>Analysis %</b>	<b>Variance %</b>
<b>P total</b>	<b>8.00</b>	AVG - Average percent		
<b>S</b>	<b>8.00</b>	AVG - Average percent		
<b>Mg total</b>	<b>1.20</b>	AVG - Average percent		
<b>Ca</b>	<b>15.00</b>	AVG - Average percent		
<b>Water Soluble</b>	<b>2.80</b>	PCNTMAX - Max Percent		
<b>P citric</b>	<b>5.80</b>	AVG - Average percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
-------------	-------------------	----------------

### **Sustain**

			<b>Analysis %</b>	<b>Variance %</b>
<b>N total</b>	<b>45.90</b>	AVG - Average percent		
<b>Biuret</b>	<b>1.45</b>	PCNTMAX - Max Percent		
<b>NBPT</b>	<b>250.00</b>	AVG PPM - Avg PPM		

# Fertmark Declared Values

## Ballance GROUP

Date: 1/04/2026

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
12-Sep-2005		Sustain Green added
28-Nov-2025	Craig Allen	Biuret limited increased to 1.45 as per email from Kerryn.
17-Dec-2025	Craig Allen	N reduce to 45.9 as per email from Kerryn

### Triple Super (TSP)

			<b>Analysis %</b>	<b>Variance %</b>
<b>P total</b>	<b>19.60</b>	AVG - Average percent		
<b>P citric</b>	<b>17.30</b>	AVG - Average percent		
<b>P water</b>	<b>15.30</b>	AVG - Average percent		
<b>Ca total</b>	<b>13.00</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
28-Sep-2017	Peter Wood	DVs changed by AN 28 Sept 2017
26-Feb-2019	Peter Wood	CSP and Ca values altered by Caroline Steer
3-Nov-2025	Craig Allen	Updated WSP as per email from Kerryn.

### Unika Plus

			<b>Analysis %</b>	<b>Variance %</b>
<b>N total</b>	<b>12.00</b>	AVG - Average percent		
<b>K total</b>	<b>38.00</b>	AVG - Average percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
2-Dec-2024	Craig Allen	Reduced K and remove S as per emnailo from Kerryn

### YaraBela CAN

			<b>Analysis %</b>	<b>Variance %</b>
<b>N total</b>	<b>27.00</b>	AVG - Average percent		
<b>N water</b>	<b>26.00</b>	AVG - Average percent		
<b>Mg total</b>	<b>2.40</b>	AVG - Average percent		
<b>Ca total</b>	<b>4.00</b>	AVG - Average percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
15-Dec-2010		Hydro Complex changes name to Yara Mila Complex
26-Aug-2024	Craig Allen	Changed Mg to 2.4% from email from Kerryn

### YaraLiva Nitrabor

			<b>Analysis %</b>	<b>Variance %</b>
<b>N total</b>	<b>15.40</b>	AVG - Average percent		
<b>B</b>	<b>0.30</b>	AVG - Average percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
24-Feb-2025	Ben Schnackenberg	Email attached from Kerryn changing declared values

### YaraMila 8-11-20

			<b>Analysis %</b>	<b>Variance %</b>
<b>N total</b>	<b>8.00</b>	AVG - Average percent		
<b>P total</b>	<b>10.50</b>	AVG - Average percent		

# Fertmark Declared Values

## Ballance GROUP

Date: 1/04/2026

<b>K total</b>	<b>20.00</b>	AVG - Average percent		
<b>S total</b>	<b>2.80</b>	AVG - Average percent		
<b>B</b>	<b>100.00</b>	AVG PPM - Avg PPM		
<b>Cu</b>	<b>100.00</b>	AVG PPM - Avg PPM		
<b>Fe</b>	<b>1500.00</b>	AVG PPM - Avg PPM		
<b>Mn</b>	<b>100.00</b>	AVG PPM - Avg PPM		
<b>Zn</b>	<b>70.00</b>	AVG PPM - Avg PPM		

Date                      Changed By                      Comment

## **YaraMila Actyva S 15-7-12.5**

**Analysis %**

**Variance %**

<b>N total</b>	<b>15.00</b>	AVG - Average percent		
<b>P total</b>	<b>7.00</b>	AVG - Average percent		
<b>K total</b>	<b>12.50</b>	AVG - Average percent		
<b>S total</b>	<b>3.00</b>	AVG - Average percent		
<b>Mg</b>	<b>1.20</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

Date                      Changed By                      Comment

15-Sep-2016      Peter Wood                      Change from minimum values to average values

7-Dec-2017      Peter Wood                      K value changed by AN 7 Dec 2017

## **YaraMila Complex**

**Analysis %**

**Variance %**

<b>N total</b>	<b>12.00</b>	AVG - Average percent		
<b>Fe</b>	<b>2000.00</b>	AVG PPM - Avg PPM		
<b>Zn</b>	<b>200.00</b>	AVG PPM - Avg PPM		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		
<b>P total</b>	<b>5.00</b>	AVG - Average percent		
<b>P citric</b>	<b>4.10</b>	AVG - Average percent		
<b>P water</b>	<b>3.00</b>	AVG - Average percent		
<b>K total</b>	<b>15.00</b>	AVG - Average percent		
<b>S</b>	<b>8.00</b>	AVG - Average percent		
<b>Mg</b>	<b>1.60</b>	AVG - Average percent		
<b>Ca total</b>	<b>2.50</b>	AVG - Average percent		
<b>B</b>	<b>150.00</b>	AVG PPM - Avg PPM		

Date                      Changed By                      Comment

3-Nov-2025      Craig Allen                      Updated N and P levels as per email from Kerryn.

## **YaraMila Grower NZ**

**Analysis %**

**Variance %**

<b>N total</b>	<b>13.00</b>	AVG - Average percent		
<b>P total</b>	<b>2.60</b>	AVG - Average percent		
<b>K total</b>	<b>17.40</b>	AVG - Average percent		

# Fertmark Declared Values

## Ballance GROUP

Date: 1/04/2026

<b>S total</b>	<b>10.00</b>	AVG - Average percent		
<b>Mg total</b>	<b>1.50</b>	AVG - Average percent		
<b>Zn</b>	<b>0.02</b>	AVG - Average percent		
<b>B</b>	<b>0.02</b>	AVG - Average percent		

Date

Changed By

Comment

# Fertmark Declared Values

## Ballance Kapuni

Date: 1/04/2026

### Nrich Urea

Analysis %

Variance %

<b>N total</b>	<b>46.00</b>	AVG - Average percent		
<b>Biuret</b>	<b>1.45</b>	PCNTMAX - Max Percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
26-Jun-2001		As advised
29-Mar-2002		Revised product classification
20-Oct-2004		Biuret limit raised by TS
28-Nov-2025	Craig Allen	Biuret limited increase to 1.45 as per email from Kerry.

# Fertmark Declared Values

## Fertco, Te Awamutu

Date: 1/04/2026

### KingPhos

			Analysis %	Variance %
<b>P total</b>	<b>5.00</b>	AVG - Average percent		
<b>P citric</b>	<b>2.80</b>	AVG - Average percent		
<b>P water</b>	<b>0.30</b>	AVG - Average percent		
<b>S total</b>	<b>4.00</b>	AVG - Average percent		
<b>Ca</b>	<b>30.00</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
5-Apr-2023	Peter Wood	Initial DVs
10-Jul-2024	Craig Allen	Email from Neil Macdonald 10/7/24 asking to reduce Citric to 2.8

### Replenish 90

			Analysis %	Variance %
<b>P total</b>	<b>9.00</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		
<b>P citric</b>	<b>6.20</b>	AVG - Average percent		
<b>P water</b>	<b>2.20</b>	AVG - Average percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
1-May-2004		As advised
1-May-2006		Company name changed
8-Aug-2006		Product change as advertised
29-Jan-2008		DVs changed by DF
20-Oct-2008		Replenish TP and CSP DVs reduced by DF
5-Sep-2011		Replenish WSP reduced by DF
15-Apr-2013	Justin Moss	WSP value lowered from 3.0 to 2.5% by CW on 9 April 2013
15-Aug-2017	Peter Wood	As advised by Tracey
20-Sep-2017	Peter Wood	As per request from Tracey Burgess-Jones

### Sulphate of Ammonia

			Analysis %	Variance %
<b>N total</b>	<b>20.00</b>	AVG - Average percent		
<b>S total</b>	<b>23.00</b>	AVG - Average percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
7-Mar-2024	Peter Wood	Product transferred from Mt Maunganui site to Te Awamutu site with unchanged DVs.

# Fertmark Declared Values

## Graymont Lime - Makareao Quarry

Date: 1/04/2026

### Agricultural Lime

			Analysis %	Variance %
<b>Psa 2</b>	<b>95.00</b>	AVG - Average percent		
<b>Psa 0.5</b>	<b>50.00</b>	AVG - Average percent		
<b>Neut value</b>	<b>95.00</b>	AVG - Average percent		
<b>Moisture</b>				

Date

Changed By

Comment

30-Aug-2010

As advised

# Fertmark Declared Values

## Graymont Lime - Oparure Quarry

Date: 1/04/2026

### Agricultural Lime

			Analysis %	Variance %
<b>Ca total</b>	<b>36.80</b>	AVG - Average percent		
<b>Psa 2</b>	<b>95.00</b>	AVG - Average percent		
<b>Psa 0.5</b>	<b>50.00</b>	AVG - Average percent		
<b>Neut value</b>	<b>90.00</b>	AVG - Average percent		
<b>Moisture</b>				

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
26-Jun-2001	Peter Wood	as advised 26 June 2001
2-Aug-2005	Peter Wood	as advised by PR 2 August 2005
10-Nov-2006	Peter Wood	NV lowered by BG 10 Nov 2006
29-Jun-2011	Peter Wood	NV lowered by BG 29 June 2011

# Fertmark Declared Values

**Marnco NZ Ltd.**

Date: 1/04/2026

## **Ammonium Sulphate (SOA)**

			<b>Analysis %</b>	<b>Variance %</b>
<b>N</b>	<b>21.00</b>	AVG - Average percent		
<b>S</b>	<b>24.00</b>	AVG - Average percent		

Date                      Changed By                      Comment

## **DAP18N**

			<b>Analysis %</b>	<b>Variance %</b>
<b>N</b>	<b>17.80</b>	AVG - Average percent		
<b>P</b>	<b>20.50</b>	AVG - Average percent		
<b>Water Soluble</b>	<b>17.40</b>	AVG - Average percent		
<b>P citric</b>	<b>20.10</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	PCNTMAX - Max Percent		

Date                      Changed By                      Comment

## **MOP**

			<b>Analysis %</b>	<b>Variance %</b>
<b>K</b>	<b>48.50</b>	AVG - Average percent		

Date                      Changed By                      Comment

## **Sulphate of Potash (SOP)**

			<b>Analysis %</b>	<b>Variance %</b>
<b>K</b>	<b>42.00</b>	AVG - Average percent		
<b>S</b>	<b>18.40</b>	AVG - Average percent		

Date                      Changed By                      Comment

## **Sulphos**

			<b>Analysis %</b>	<b>Variance %</b>
<b>P</b>	<b>7.50</b>	AVG - Average percent		
<b>S</b>	<b>11.00</b>	AVG - Average percent		
<b>Ca</b>	<b>17.00</b>	AVG - Average percent		
<b>Water Soluble</b>	<b>4.20</b>	AVG - Average percent		
<b>P citric</b>	<b>4.82</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

Date                      Changed By                      Comment

## **Urea**

			<b>Analysis %</b>	<b>Variance %</b>
<b>N</b>	<b>46.00</b>	AVG - Average percent		
<b>Biuret</b>	<b>1.00</b>	PCNTMAX - Max Percent		

Date                      Changed By                      Comment

# Fertmark Declared Values

**Osflo**

Date: 1/04/2026

**Osflo Fertiliser**

			<b>Analysis %</b>	<b>Variance %</b>
<b>N</b>	<b>3.00</b>	AVG - Average percent		
<b>P</b>	<b>0.60</b>	PCNT - Min Percent		
<b>K</b>	<b>1.80</b>	PCNT - Min Percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
26-Jun-2011		As advised
18-Sep-2002		Renewed application from AN
6-Nov-2002		Parameters changed by AN
3-Feb-2005		DV for P changed
30-Nov-2009		DV for K increased from 1.7%
25-Jan-2012		DVs fir TP and TK reduced by AN
6-Nov-2012	Peter Wood	TK increased from 1.7% to 1.9% by AN on 5 Nov 2012
12-Dec-2013	Justin Moss	changed as per email from PW, N - unchanged P-lowered to 1.0% K - lowered to 1.8%
13-Nov-2014	Justin Moss	as per email from PW: TN lowered to 3.1%, TK raised to 1.9%
22-Apr-2016	Justin Moss	changed as per email from Peter Wood 22/04/2016 TN change from 3.1% to 3.3% TP change from 1.0% to 1.1% TK no change
22-May-2018	Peter Wood	DVs changed by AN 21 May 2018
8-Nov-2018	Peter Wood	TN changed from 2.8% to 2.5%, TP changed from 0.9% to 0.6% and TK changed from 2.0% to 1.8%
27-Mar-2019	Peter Wood	TN DV raised from 2.50% to 3.00% based on new analyses
25-May-2020	Peter Wood	TP raised from 0.63% to 0.7% and TK raised from 1.80% to 2.1%.
8-May-2024	Craig Allen	Change valves as per email from Osflo Tuesday 7th May 2024

# Fertmark Declared Values

## Ravensdown Christchurch

Date: 1/04/2026

### Serpentine Super

			Analysis %	Variance %
<b>P total</b>	<b>6.70</b>	AVG - Average percent		
<b>P citric</b>	<b>5.10</b>	AVG - Average percent		
<b>P water</b>	<b>2.70</b>	AVG - Average percent		
<b>S total</b>	<b>8.60</b>	AVG - Average percent		
<b>Mg total</b>	<b>5.00</b>	AVG - Average percent		
<b>Ca total</b>	<b>15.00</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
13-Sep-2018	Peter Wood	Mg lowered from 5.5% to 5.0% by MM

### Sulphur Super 30

			Analysis %	Variance %
<b>P total</b>	<b>7.00</b>	AVG - Average percent		
<b>P citric</b>	<b>6.10</b>	AVG - Average percent		
<b>P water</b>	<b>5.70</b>	AVG - Average percent		
<b>S total</b>	<b>30.10</b>	AVG - Average percent		
<b>S elemental</b>	<b>21.00</b>	AVG - Average percent		
<b>Ca total</b>	<b>16.00</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
7-Jan-2004		Sulphur Super S total level lowered by RC
13-Apr-2004		Sulphur Super 30 added by RC
1-Nov-2008		TP and DV lowered from 7.1% to 7.0% by MM
1-Jul-2008		DVs altered by MM
21-Jan-2016	Justin Moss	email from PW - P citric soluble 6.3% → 6.1% / P water soluble 5.9% → 5.7%

### Superphosphate

			Analysis %	Variance %
<b>P total</b>	<b>9.00</b>	AVG - Average percent		
<b>P citric</b>	<b>7.80</b>	AVG - Average percent		
<b>P water</b>	<b>7.30</b>	AVG - Average percent		
<b>S total</b>	<b>11.00</b>	AVG - Average percent		
<b>Ca total</b>	<b>20.00</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
21-Jan-2016	Justin Moss	email from PW - P citric soluble 8.0% → 7.8% / P water soluble 7.6% → 7.3%

# Fertmark Declared Values

## Ravensdown Dipton Lime

Date: 1/04/2026

### Agricultural Lime

			Analysis %	Variance %
<b>Psa 2</b>	<b>90.00</b>	AVG - Average percent		
<b>Psa 0.5</b>	<b>30.00</b>	AVG - Average percent		
<b>Neut value</b>	<b>78.00</b>	AVG - Average percent		
<b>Moisture</b>				

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
1-Sep-2004		As advised by SH
5-Nov-2013	Justin Moss	lowered Declared Valued for Neut Value from 80% to 79% as per email from PW
12-Jul-2017	Justin Moss	Lowered DV for Neutralising Value (NV) from 80% to 78% as per email from PW
22-Dec-2021	Peter Wood	Kieran Murray reduced PSDs

# Fertmark Declared Values

## Ravensdown Geraldine Lime

Date: 1/04/2026

### Agricultural Lime

			Analysis %	Variance %
<b>Psa 2</b>	<b>90.00</b>	AVG - Average percent		
<b>Psa 0.5</b>	<b>30.00</b>	AVG - Average percent		
<b>Neut value</b>	<b>78.00</b>	AVG - Average percent		
<b>Moisture</b>				

Date

Changed By

Comment

1-Sep-2004

As advised by SH

3-Aug-2006

NV increased by RK

22-Dec-2021

Peter Wood

Kieran Murray reduced PSDs

# Fertmark Declared Values

## Ravensdown GROUP

Date: 1/04/2026

### Ammonium Sulphate

			Analysis %	Variance %
<b>N total</b>	<b>20.00</b>	AVG - Average percent		
<b>S total</b>	<b>23.00</b>	AVG - Average percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
14-Nov-2017	Justin Moss	updated Declared Values N total 20.5% → 20.0% / S total 24.0% → 23.0% - as per email from PW / c/- Murray Mackenzie

### CAN

			Analysis %	Variance %
<b>N total</b>	<b>27.00</b>	AVG - Average percent		
<b>Ca total</b>	<b>8.60</b>	AVG - Average percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
2-Aug-2022	Peter Wood	Mg declaration added by Greg Costello in email to PW dated 27 July 2022
5-Apr-2024	Peter Wood	Mg declaration removed and Ca declaration increased from 8.0% by email from Greg Costello to Peter Wood on 4 April 2024

### DAP

			Analysis %	Variance %
<b>N total</b>	<b>17.60</b>	AVG - Average percent		
<b>P total</b>	<b>20.00</b>	AVG - Average percent		
<b>P citric</b>	<b>19.50</b>	AVG - Average percent		
<b>P water</b>	<b>17.00</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
2-Dec-2013	Justin Moss	changed as per email from PW, N total 17.6%, P water 17.0%

### Esta Kieserite

			Analysis %	Variance %
<b>S total</b>	<b>20.00</b>	AVG - Average percent		
<b>Mg total</b>	<b>15.00</b>	AVG - Average percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>

### MAP

			Analysis %	Variance %
<b>N total</b>	<b>11.50</b>	AVG - Average percent		
<b>P total</b>	<b>23.00</b>	AVG - Average percent		
<b>P citric</b>	<b>20.80</b>	AVG - Average percent		
<b>P water</b>	<b>19.30</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
19-Mar-2019	Peter Wood	TN changed from 11% to 10% by MM
29-Jul-2025	Craig Allen	Valves changed from email from Greg

# Fertmark Declared Values

## Ravensdown GROUP

Date: 1/04/2026

### Nitrophoska Extra

			Analysis %	Variance %
<b>N total</b>	<b>12.00</b>	AVG - Average percent		
<b>B</b>	<b>200.00</b>	AVG PPM - Avg PPM		
<b>Zn</b>	<b>100.00</b>	AVG PPM - Avg PPM		
<b>P total</b>	<b>5.20</b>	AVG - Average percent		
<b>P citric</b>	<b>5.00</b>	AVG - Average percent		
<b>K total</b>	<b>14.00</b>	AVG - Average percent		
<b>S total</b>	<b>6.00</b>	AVG - Average percent		
<b>S SO4</b>	<b>6.00</b>	AVG - Average percent		
<b>Mg total</b>	<b>1.20</b>	AVG - Average percent		
<b>Mg water</b>	<b>0.60</b>	AVG - Average percent		
<b>Ca total</b>	<b>5.00</b>	AVG - Average percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
2-Aug-2022	Peter Wood	Name changed from Nitrophoska Extra by email to PW from Greg Costello dated 27 July 2022
29-Aug-2023	Peter Wood	Name changed from Compound Extra by email from Greg Costello to PW on 28 August 2023.
13-May-2025	Craig Allen	Name changed from Nitrophoska Extra by email to CA from Greg Costello dated 13th of May 2025

### Nitrophoska Perfect

			Analysis %	Variance %
<b>N total</b>	<b>15.00</b>	AVG - Average percent		
<b>B</b>	<b>200.00</b>	AVG PPM - Avg PPM		
<b>Zn</b>	<b>100.00</b>	AVG PPM - Avg PPM		
<b>P total</b>	<b>2.20</b>	AVG - Average percent		
<b>P citric</b>	<b>2.20</b>	AVG - Average percent		
<b>P water</b>	<b>1.10</b>	AVG - Average percent		
<b>K total</b>	<b>16.60</b>	AVG - Average percent		
<b>S SO4</b>	<b>8.00</b>	AVG - Average percent		
<b>Mg total</b>	<b>1.20</b>	AVG - Average percent		
<b>Mg water</b>	<b>1.00</b>	AVG - Average percent		
<b>Ca total</b>	<b>1.80</b>	AVG - Average percent		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
-------------	-------------------	----------------

### Nitrophoska Select

			Analysis %	Variance %
<b>N total</b>	<b>15.00</b>	AVG - Average percent		
<b>P total</b>	<b>6.60</b>	AVG - Average percent		
<b>P citric</b>	<b>6.60</b>	AVG - Average percent		
<b>P water</b>	<b>5.00</b>	AVG - Average percent		
<b>K total</b>	<b>12.50</b>	AVG - Average percent		
<b>K water</b>	<b>12.50</b>	AVG - Average percent		

# Fertmark Declared Values

## Ravensdown GROUP

Date: 1/04/2026

<b>S total</b>	<b>2.50</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

Date                      Changed By                      Comment  
 5-Aug-2021                  Peter Wood                                  New product. Added by K Murray

### **N-Protect**

			<b>Analysis %</b>	<b>Variance %</b>
<b>N total</b>	<b>46.00</b>	AVG - Average percent		
<b>Biuret</b>	<b>1.00</b>	PCNTMAX - Max Percent		
<b>NBPT</b>	<b>300.00</b>	AVG PPM - Avg PPM		

Date                      Changed By                      Comment  
 21-Jan-2016                  Justin Moss                                  added adding a declaration for the key ingredient, NBPT - long name - N-(n-Butyl) thiophosphoric triamide 400 mg/kg  
 13-Oct-2016                  Justin Moss                                  Email from Ravensdown to update N-Protect declared values as follows: NBPT 300 mg/kg / N (total) 46.0%

### **Potassium Chloride (MOP)**

			<b>Analysis %</b>	<b>Variance %</b>
<b>K total</b>	<b>50.00</b>	AVG - Average percent		

Date                      Changed By                      Comment

### **Sechura RPR**

			<b>Analysis %</b>	<b>Variance %</b>
<b>P total</b>	<b>10.80</b>	AVG - Average percent		
<b>P citric</b>	<b>4.64</b>	AVG - Average percent		
<b>P formic</b>	<b>7.23</b>	AVG - Average percent		
<b>Ca</b>	<b>28.70</b>	AVG - Average percent		
<b>Cd</b>	<b>138.00</b>	MGKG - Max mg per kg P		
<b>Psa 1</b>	<b>64.00</b>	AVG - Average percent		
<b>Psa 2</b>	<b>98.00</b>	AVG - Average percent		

Date                      Changed By                      Comment

### **Selprill Double**

			<b>Analysis %</b>	<b>Variance %</b>
<b>Se</b>	<b>2.00</b>	AVG - Average percent		

Date                      Changed By                      Comment  
 1-Feb-2005    Selprill Double added

### **Sulphate of Potash**

			<b>Analysis %</b>	<b>Variance %</b>
<b>K total</b>	<b>41.50</b>	AVG - Average percent		
<b>S total</b>	<b>18.00</b>	AVG - Average percent		

Date                      Changed By                      Comment  
 14-Nov-2017                  Justin Moss                                  updated Declared Values K total 42.0% → 41.5%- as per email from PW / c/- Murray Mackenzie

# Fertmark Declared Values

## Ravensdown GROUP

Date: 1/04/2026

### Sulphur 90

Analysis %

Variance %

<b>S</b>	<b>90.00</b>	PCNT - Min Percent		
----------	--------------	--------------------	--	--

Date

Changed By

Comment

### Triple Super

Analysis %

Variance %

<b>P total</b>	<b>20.50</b>	AVG - Average percent		
<b>P citric</b>	<b>18.50</b>	AVG - Average percent		
<b>P water</b>	<b>16.50</b>	AVG - Average percent		
<b>Ca total</b>	<b>16.00</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

Date

Changed By

Comment

### Urea

Analysis %

Variance %

<b>N total</b>	<b>46.00</b>	AVG - Average percent		
<b>Biuret</b>	<b>1.00</b>	PCNTMAX - Max Percent		

Date

Changed By

Comment

# Fertmark Declared Values

## Ravensdown Napier

Date: 1/04/2026

### Serpentine Super

			Analysis %	Variance %
<b>P total</b>	<b>6.70</b>	AVG - Average percent		
<b>P citric</b>	<b>5.10</b>	AVG - Average percent		
<b>P water</b>	<b>2.70</b>	AVG - Average percent		
<b>S total</b>	<b>8.60</b>	AVG - Average percent		
<b>Mg total</b>	<b>5.00</b>	AVG - Average percent		
<b>Ca total</b>	<b>15.00</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
3-May-2002		Perpentine Super added
1-Nov-2008		TP lowered from 6.8% to 6.7% by MM
13-Sep-2018	Peter Wood	Mg lowered from 5.5% to 5.0% by MM

### Sulphur Super 30

			Analysis %	Variance %
<b>P total</b>	<b>7.00</b>	AVG - Average percent		
<b>P citric</b>	<b>6.10</b>	AVG - Average percent		
<b>P water</b>	<b>5.70</b>	AVG - Average percent		
<b>S total</b>	<b>30.10</b>	AVG - Average percent		
<b>S elemental</b>	<b>21.00</b>	AVG - Average percent		
<b>Ca total</b>	<b>16.00</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
7-Jan-2004		Sulfur Super S total level lowered by RC
13-Apr-2004		Sulphur Super 30 added by RC
1-Nov-2008		TP and DV lowered from 7.1% to 7.0% by MM
1-Jul-2011		DVs altered by MM
21-Jan-2016	Justin Moss	email from PW - P citric soluble 6.3% → 6.1% / P water soluble 5.9% → 5.7%

### Superphosphate

			Analysis %	Variance %
<b>P total</b>	<b>9.00</b>	AVG - Average percent		
<b>P citric</b>	<b>7.80</b>	AVG - Average percent		
<b>P water</b>	<b>7.30</b>	AVG - Average percent		
<b>S total</b>	<b>11.00</b>	AVG - Average percent		
<b>Ca total</b>	<b>20.00</b>	AVG - Average percent		
<b>Cd</b>	<b>280.00</b>	MGKG - Max mg per kg P		

<u>Date</u>	<u>Changed By</u>	<u>Comment</u>
21-Jan-2016	Justin Moss	email from PW - P citric soluble 8.0% → 7.8% / P water soluble 7.6% → 7.3%

# Fertmark Declared Values

## United Fisheries Ltd

Date: 1/04/2026

### **Bio Marinus Biological Liquid Fish Fertiliser**

**Analysis %**

**Variance %**

<b>N total</b>	<b>1.60</b>	AVG - Average percent		
<b>P total</b>	<b>1.20</b>	AVG - Average percent		
<b>K total</b>	<b>0.20</b>	AVG - Average percent		
<b>S total</b>	<b>0.10</b>	AVG - Average percent		
<b>Ca</b>	<b>0.20</b>	AVG - Average percent		

Date

Changed By

Comment

### **Bio Marinus Hydrolysed Fish Fertiliser**

**Analysis %**

**Variance %**

<b>N total</b>	<b>1.60</b>	AVG - Average percent		
<b>P total</b>	<b>1.20</b>	AVG - Average percent		
<b>K total</b>	<b>0.20</b>	AVG - Average percent		
<b>S total</b>	<b>0.10</b>	AVG - Average percent		
<b>Ca</b>	<b>0.20</b>	AVG - Average percent		

Date

Changed By

Comment

### **Cal-Sea+ liquefied calcium**

**Analysis %**

**Variance %**

<b>N</b>	<b>0.67</b>	AVG - Average percent		
<b>P</b>	<b>1.70</b>	AVG - Average percent		
<b>K</b>	<b>0.00</b>	AVG - Average percent		
<b>S</b>	<b>0.02</b>	AVG - Average percent		
<b>Mg</b>	<b>0.05</b>	AVG - Average percent		
<b>Ca</b>	<b>3.00</b>	AVG - Average percent		
<b>Na</b>	<b>0.05</b>	AVG - Average percent		

Date

Changed By

Comment

23-Aug-2024

Craig Allen

Lower Ca to 3% from email from Smitha